



1206 FULTON AVE.
SAN ANTONIO, TX 78201
www.acmesoap.com

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: STAINLESS STEEL CLEANER

PRODUCT # 0703

MANUFACTURED BY: Acme Soap, Inc. Date prepared: August 20, 2001
1206 Fulton Ave. Date Revised: 11/14/2008
San Antonio, TX 78201
(210)731-9800

HMS Rating: Health 1, Flammability 1, Reactivity 1, Personal Protection B

I. CHEMICAL IDENTIFICATION:

NAME: STAINLESS STEEL CLEANER

DESCRIPTION: POLISH

OTHER DESIGNATIONS

MANUFACTURER

EMERGENCY

PHONE NUMBER

Aliphatic Hydrocarbon

Acme Soap, Inc.
1206 Fulton Ave.
San Antonio, TX 78201

CHEMTREC
(800)424-9300

II. HEALTH HAZARD DATA

Possible routes of entry are skin, eyes, inhalation and ingestion.

Skin: Prolonged contact with skin could cause drying and / or other irritation. Wash affected areas with clear water.

Eyes: Causes burning and irritation. Flush eyes with large amounts of clear water for at least 15 minutes, forcibly holding the lids apart to ensure a thorough rinse. If irritation persists, consult a physician, preferably an ophthalmologist.

Ingestion: May cause abdominal discomfort, nausea, vomiting and diarrhea. Give victim two glasses of clear water. DO NOT INDUCE VOMITING, unless instructed by a physician. Obtain medical attention.

Never give anything by mouth to an unconscious person.

Inhalation: Move the victim to fresh air. If breathing is labored, contact a physician.

Wash contaminated clothing before reuse.

III. HAZARDOUS INGREDIENTS

Ingredient

% Concentration

Worker Exposure Limits

Mineral Seal Oil

90

IV. SPECIAL PROTECTION INFORMATION

Use chemical resistant gloves and proper eye protection.

Wear chemical resistant clothing to cover exposed areas.

Use in a well ventilated area.

Wash with soap and water after handling.

Page 2 – MSDS 0703

V. SPECIAL PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN.

Keep from freezing.

Avoid splash filling.

Avoid excessive heat and contact with strong oxidizing agents.

VI. SPILL OR LEAK PROCEDURES

Spilled product may cause floors and stairways to become extremely slippery.

Immediately stop the leak if it is safe to do so.

Contain spills immediately and avoid discharge to natural waters.

Small spills may be flushed to sanitary sewer.

For larger spills, absorb spilled material with an inert material. Collect and store in an air-tight container.

Contaminated product must be disposed of in accordance with Federal, State and local regulations.

VII. REACTIVITY DATA

Hazardous polymerization will not occur.

Product is stable.

Prolonged or excessive heat may cause product decomposition.

Do not mix with other chemicals unless instructed by a competent person.

This product will react with strong oxidizers.

Hazardous by-products CO₂ when combusted.

VIII. FIRE AND EXPLOSION DATA

Flash Point: 200F closed cup.

Use CO₂ or dry chemical to extinguish fire.

Use self-contained breathing apparatus with a full face operated in pressure demand or other SCBA.

Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.

IX. PHYSICAL DATA

Appearance: Light colored liquid

Odor: Pleasant mint fragrance.

Spec. Gravity: .80 where water is 1.00

Evaporation Rate: 0.05

Vapor Density: 5.3

Vapor Pressure: 1.0

NOTE:

The information provided on this Material Safety Data Sheet has been compiled from information obtained from the manufacturers of the raw material components of the product, as well as from laboratory tests on the finished product. There are no expressed or implied warranties to be derived from the information provided. The user assumes all risks in handling and must determine if this product is fit for its intended use.

The health hazards on this Material Safety Data Sheet apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of overexposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure to the diluted product under conditions of ordinary use.